

# INDEX MAPS.

## T. 8 N. R. 10 E. 2<sup>nd</sup> Mer.

	74		74		73		73		73		73	
					75		75		75		75	
78	6	97	5	92	4	89	3	85	2	84	1	72
	97		97		92		88		85		83	
77	7	96	8	92	9	88	10	84	11	83	12	72
	96		96		91		88		84		83	
77	18	96	17	91	16	87	15	84	14	82	13	72
	95		95		91		87		82		80	
77	19	94	20	90	21	87	22	82	23	80	24	71
	94		94		90		86		81		79	
76	30	93	29	90	28	86	27	81	26	79	25	71
	93		93		87		86		81		78	
76	31	93	32	89	33	85	34	80	35	78	36	70
	67		67		67		67		67		68	
	70		69		69		69		68			

## T. 9 N. R. 10 E. 2<sup>nd</sup> Mer.

	104		104		104		104		105		105	
	106		106		106							
108	6	129	5	125	4	122	3	120	2	118	1	104
	129		128		124		122		120		118	
108	7	128	8	124	9	122	10	119	11	118	12	105
	128		127		124		121		119		118	
107	18	127	17	123	16	121	15	119	14	110	13	103
	127		126		123		121		118		110	
107	19	126	20	123	21	120	22	118	23	110	24	102
	126		125		116		114		112		109	
107	30	125	29	115	28	114	27	111	26	109	25	102
	125		117		115		113		111		109	
106	31	116	32	115	33	113	34	111	35	108	36	101
	100		99		99		99		99		99	
		100		101		101		101		101		

The figures on the lines refer to the page.

Township N. 9 North, Range N. 10 East 2. Mer. Ind. 99

ch. 1/2 lks

South Boundary, Random line

West On S. boundary of Sec. 36

5.00 a Brook 6 lks wide Course S.W.

12.00 a Creek 40 " " " S.

40.00 Set temp'y. of Sec. post

80.00 Set temp'y. Cor. to Secs. 35 & 36

Sand flat, timber Beech, Maple, Elm, Oak  
Aichory, Poplar &c.

West On S. boundary of Sec. 35

22.40 a Brook 20 lks wide Course S.W.

40.00 Set temp'y. of Sec. post

80.00 Set temp'y. Cor. to Secs. 34 & 35

Sand timber &c. Same as on the last mile

West On S. boundary of Sec. 34

40.00 Set temp'y. of Sec. post

62.28 a Brook 12 lks wide Course S.W.

68.50 a do. 4 " " " S.W.

72.00 a do. 4 " " " S.

78.00 a do. 4 " " " S.E.

80.00 Set post temporarily, Cor. to Secs. 33 & 34

Sand level, timber Beech, Oak, Poplar,  
Aichory, Sugar &c. Jan'y. 17<sup>th</sup>. 1807

West On S. boundary of Sec. 33

40.00 Set temp'y. of Sec. post

47.40 a Brook 8 lks wide Course S.W.

65.10 a do. 9 " " " S.W.

80.00 Set temp'y. Cor. to Secs. 32 & 33

Sand timber &c. Same as on last mile

West On S. boundary of Sec. 32

12.20 a Brook 4 lks wide Course S.W.

31.00 a do 5 " " " S.W.

40.00 Set temp'y. of Sec. post

Sgt. RICE, 2<sup>d</sup>. Men. Indiana  
 ch<sup>d</sup>. 4<sup>th</sup>  
 80.00 Let temp<sup>y</sup>. Cor. to Sec<sup>s</sup>. 31 & 32  
 Land level, timber Beech, Oak, Poplar, Sugar.

West On S. boundary of Sec. 31  
 17.00 a Brook 8<sup>th</sup>. wide Course S.W.  
 40.00 Let temp<sup>y</sup>. gr. Sec. post  
 43.00 a Brook ~~a Creek~~ 5<sup>th</sup>. wide C.S. S.W.  
 50.75 a Creek 70<sup>th</sup>. wide Course S 80° W  
 68.00 do. 70 " " " N.W.  
 72.75 do. 70 " " " S 70° W.  
 86.18 Full 470<sup>th</sup>. North of Town Corner  
 Land Having, timber Beech, Oak, Poplar,  
 Hickory, Sugar &c.

### True Line

East On S. boundary of Sec. 31  
 3.25 a Creek 70<sup>th</sup>. wide Course S.W.  
 19.90 Same 70 " " " S.W.  
 24.80 Same 70 " " " S.W.  
 32.00 a Sugar 24 in. dia.  
 46.18 Let gr. Sec. post, from which  
 a Beech 3 m. dia. bray N 26° W 25<sup>th</sup>. dist. of  
 a do. 12 " " " N 3° E 6 " "  
 68.20 a Poplar 16 " "  
 86.18 Let post Cor. to Sec<sup>s</sup>. 31 & 32, from which  
 a Beech 7 m. dia. bray N 36° W 5<sup>th</sup>. dist. of  
 a Sugar 13 " " " S 30° W 17 " "

East On S. boundary of Sec<sup>s</sup>. 32  
 22.13 a Hickory 15<sup>th</sup> in. dia.  
 40.00 Let gr. Sec. post, from which  
 a Beech 26 m. dia. bray N 52° E 21<sup>th</sup>. dist. of  
 a do. 6 " " " N 48° W 14 " "  
 80.00 Let post Cor. to Sec<sup>s</sup>. 32 & 33, from which  
 a S. Gum 36 m. dia. bray N 79° E 22<sup>th</sup>. dist. of  
 a Beech 12 " " " N 64° W 23 " "



101

T9 N R10 E, 2<sup>d</sup> Mer. Indiana

ch<sup>2</sup> l<sup>th</sup>s

East On S. boundary of Sec. 33

40.00 Set gr. Sec. post, from which  
a Beech 15 mi. dia. bray S 84° W 6 l<sup>th</sup>s. dist. of  
a Poplar 36 " " " S 82° E 34 " "

63.50 a Beech 16 " "

80.00 Set post Cor. to Secs. 33 & 34, from which  
a Poplar 60 mi. dia. bray N 34° W 23 l<sup>th</sup>s. dist. of  
an Ash 16 " " " S 76° E 14 " "

East On S. boundary of Sec. 34

38.25 a Beech 24 mi. dia.

40.00 Set gr. Sec. post, from which  
a Beech 13 mi. dia. gr. Sec. post, from which  
a Do 10 " " bray S 69° E 27 l<sup>th</sup>s. dist.

80.00 Set post Cor. to Secs. 34 & 35, from which  
a Sugar 16 mi. dia. bray N 20° E 15 l<sup>th</sup>s. dist. of  
a B. Oak 36 " " " S 39° W 4 " "

East On S. boundary of Sec. 35

40.00 Set gr. Sec. post, from which  
a Beech 12 mi. dia. bray S 44° W 8 l<sup>th</sup>s. dist. of  
a Do. 13 " " " N 12° W 11 " "

80.00 Set post Cor. to Secs. 35 & 36, from which  
a Beech 10 mi. dia. bray N 11° W 6 l<sup>th</sup>s. dist. of  
a Do. 9 " " " S 8 1/2° E 32 " "

East On S. boundary of Sec. 36

40.00 Set gr. Sec. post, from which  
a Maple 12 mi. dia. bray N 34° W 17 l<sup>th</sup>s. dist. of  
a Beech 5 " " " S 15° E 7 " "

80.00 To Township Corner. Jan'y. 12<sup>th</sup>. 1807

East Boundary var. 5.00' E.

North On E. boundary of Sec. 36

0.80 a Beech 24 mi. dia.

3.00 a Brook 8 l<sup>th</sup>s. wide Course W.

T9N - R10E, 2<sup>d</sup>. Mer. Indianach. 2<sup>nd</sup> 1/4

12.63 a Beech 30 mi. dist.

39.40 a Brook 5<sup>th</sup> wide Course N.40.00 Let gr. Sec. post, from which  
a Beech 15 mi. dist. bran N 76 W 39<sup>th</sup> dist. of  
a do. 12 " " " N 62 E 6 " "

55.82 a P. Gum 22 " "

63.25 a Brook 8<sup>th</sup> wide Course S. W.

67.11 a W. Oak 42 mi. dist.

75.76 a Brook 5<sup>th</sup> wide Course S. W.80.00 Let post Cor. to Sec. 25 & 36, from which  
a Hornbeam 6 mi. dist. bran N 41 E 17<sup>th</sup> dist. of  
a Beech 14 " " " N 45 W 21 " "Land waving, timber Beech, Oak, Sugar,  
Aichory, Poplar &c. Jan. 12<sup>th</sup> 1807

North On E. boundary of Sec. 25

19.10 a Brook 5<sup>th</sup> wide Course S. W.

18.27 a Sweet Gum 22 mi. dist.

40.00 Let gr. Sec. post, from which  
a Beech 16 mi. dist. bran N 71 W 8<sup>th</sup> dist. of  
a do. 11 " " " N 45 E 34 " "

77.48 a Poplar 48 " "

80.00 Let post Cor. to Sec. 24 & 25, from which  
a Beech 24 mi. dist. bran N 37 W 34<sup>th</sup> dist. of  
a W. Oak 42 " " " N 24 E 29 " "Land level, timber Beech, Oak, Aichory,  
Poplar, Oak &c. ending<sup>th</sup> same

North On E. boundary of Sec. 24

40.00 Let gr. Sec. post, from which  
a P. Gum 13 mi. dist. bran N 50 E 13<sup>th</sup> dist. of  
a Beech 7 " " " N 33 W 12 " "

49.10 a Beech 28 " "

73.70 a Poplar 24 " "

80.00 Let post Cor. to Sec. 13 & 24 from which  
a Beech 7 mi. dist. bran N 33 E 2<sup>th</sup> dist. of

103  
T9 N R10 E, 2<sup>d</sup>. Mer. Indiana  
ch<sup>2</sup>ly

a Beech 9 mi. dist. by S4W19th. dist. of  
Land flat, timber Beech, Gum, Poplar, Oak  
 Hickory, Maple &c.

---

North On E. boundary of Sec. 13

30.32 an Elm 20 mi. dist.

36.60 a Brook 6th. wide Course S.W.

40.00 Set of Sec. post, from which  
an Elm 22 mi. dist. by South 9th. dist. of  
a Beech 24 " " " N17E46 " "

43.58 a Do 22 " "

80.00 Set post Cor. to Sec. 12 of 13, from which  
a Beech 12 mi. dist. by South 8th. dist. of  
a Do. 11 " " " N22E12 " "  
Land timber &c. Same as on last mile

---

North On E. boundary of Sec. 12

9.59 a Beech 24 mi. dist.

16.40 a Brook 6th. wide C.P. with the line then runs N.E.

33.40 a W. Oak 40 mi. dist.

37.21 Indian boundary a Beech 4 mi. dist. (marked  
for the Corner, from which  
a W. Oak 32 mi. dist. by S51W20th. dist. of  
a Beech 7 " " " N48E " "

January 15<sup>th</sup> 1807

John Brownson, L.S.

40.00 Set of Sec. post, from which  
a Beech 14 mi. dist. by N42W10th. dist. of  
a Do. 13 " " " N71E16 " "

47.94 an Elm 24 " "

80.00 Set post Cor. to Sec. 11 of 12, from which  
a \_\_\_\_\_ 16 mi. dist. by N71E16th. dist. of  
a Sugar 12 " " " N33W25 " "

South of the boundary level — North of same  
Rolling, timber Beech, Sugar, Poplar, Maple &c

---



104 T9 N - R10 E. 2<sup>nd</sup> Mer. Indiana

ch. l. by  
 North On E. boundary of Sec. 1  
 5.50 a Brook 10 l. m. wide Course S. E.  
 19.50 a do 10 " " " S. E.  
 20.00 a Sycamore 3 1/2 m. dist.  
 40.00 Set q. Sec. post from which  
 a Sugar 1 1/2 m. dist. by N 17 E 28 l. m. dist. of  
 at Beech 13 " " " N 6 W - " "  
 41.50 a W. Oak 48 " "  
 76.81 Set post Cor. to Townships 9 & 10 N. R10 E  
 11 East 2<sup>nd</sup> Mer. from which  
 at Beech 8 m. dist. by N 34 W 2 l. m. dist. of  
 a do 9 " " " N 19 E 16 " "  
 Over rolling land, Oak, Beech, Sugar &c.  
 ending at Office June 24<sup>th</sup> 1819

North Boundary, Random Line

East On S. boundary of Sec. 31, T10 N. R10 E.  
 32.50 a Creek 50 l. m. wide Course S. W.  
 40.00 Set temp. q. Sec. post  
 80.00 Set temp. Cor. to Sec. 31 & 32  
 Over rolling land, timber Beech, Poplar &c.

East On S. boundary of Sec. 32, T10 N. R10 E.  
 21.81 a Brook 10 l. m. wide N. W.  
 40.00 Set temp. q. Sec. post  
 65.56 a Brook 7 l. m. wide Course S. W.  
 80.00 Set temp. Cor. to Sec. 32 & 33  
 Land timber &c. same as on last mile

East On S. boundary of Sec. 33, T10 N. R10 E  
 40.00 Set temp. q. Sec. post,  
 80.00 Set temp. Cor. to Sec. 33 & 34  
 Over level wet land, timber Beech, Maple &c.

East On Rand. S. boundary of Sec. 34, T10 N. R10 E  
 40.00 Set temp. q. Sec. post

105

T9st R10 E. 2<sup>d</sup>, Mer. Indiana

ch. 2. 4<sup>th</sup>

44.50 at Brook 7<sup>th</sup> m. wide Course S.

72.50 a Creek 20 " " " S.W.

80.00 Set temp. Cor. to Sect. 34 & 35

Over rolling land, Beech, Sugar, &c. and 9<sup>th</sup> m. Spruce

East On S. boundary of Sec. 35, T10st. R10 E.

40.00 Set temp. gr. Sec. post

58.59 at Brook 5<sup>th</sup> m. wide Course S.W.

80.00 Set temp. Cor. to Sect. 35 & 36

Over level land, timber Beech, Sugar & Spruce

East On S. boundary of Sect. 36, T10st. R10 E.

40.00 Set temp. gr. Sec. post

61.24 at Brook 8<sup>th</sup> m. wide Course S.

77.46 Intersected the N & S. line between Ranges  
10 & 11 E of T9 & 10st. Over level, Beech Land

### True Line

West On S. boundary of Sec. 36, T10st. R10 E.

40.00 Set gr. Sec. post, from which

a Beech 8 m. thar. bray S60 E 16<sup>th</sup> m. dist. of

a Do. 8 " " " N33 W 11 " "

80.00 Set post Cor. to Sect. 35 & 36, from which

a Beech 10 m. thar. bray N29 E 5<sup>th</sup> m. dist. of

a Do. 14 " " " S51 E 30 " "

West On S. boundary of Sec. 35, T10st. R10 E

40.00 Set gr. Sec. post, from which

a Beech 5 m. thar. bray S52 E 7<sup>th</sup> m. dist. of

a Do. 8 " " " S86 W 7 " "

80.00 Set post Cor. to Sect. 34 & 35, from which

an Elm 5 m. thar. bray N14 E 13<sup>th</sup> m. dist. of

a Poplar 12 " " " N16 W 14 " "

West On S. boundary of Sec 34, T10st. R10 E.

40.00 Set gr. Sec. post, from which



T9 St. R10 E. 2<sup>d</sup>. Mer. Indiana  
ch. l. l. h.

a Sugar 13 mi. dia. bray N 9 E 18 l. h. dist. of  
a Beech 11 " " " S 50 E 5 " "  
80.00 Set post Cor. to Sec. 33 & 34, from which  
a Beech 13 mi. dia. bray N 36 E 10 l. h. dist. of  
a Do. 4 " " " S 14 E 9 " "

West On S. boundary of Sec. 33, T10 N. R10 E.

40.00 Set q. Sec. post, from which  
a Beech 10 mi. dia. bray S 56 W 5 l. h. dist. of  
a Do. 8 " " " N 77 E 15 " "  
80.00 Set post Cor. to Sec. 32 & 33, from which  
a Beech 9 mi. dia. bray S 82 E 19 l. h. dist. of  
a Sugar 6 " " " N 80 W 9 " "

West On S. boundary of Sec. 32, T10 N. R10 E.

40.00 Set q. Sec. post, from which  
a Beech 10 mi. dia. bray N 13 E 7 l. h. dist. of  
a Do. 18 " " " S 53 W 9 " "  
80.00 Set post Cor. to Sec. 31 & 32, from which  
a Beech 14 mi. dia. bray S 45 W 11 l. h. dist. of  
a Do. 20 " " " N 74 E 28 " "

West On S. boundary of Sec. 31, T10 N. R10 E.

40.00 Set q. Sec. post, from which  
a Sycamore 10 mi. dia. bray S 43 E 22 l. h. dist. of  
a Do. 20 " " " N 43 W 21 " "  
78.50 to the Down Corner

John McDonald, H.S.

West Boundary

North On E. boundary of, Sec. 36, T9 N. R9 E

7.95 a Brook 6 l. h. wide Course E.  
40.00 Set q. Sec. post, from which  
a Beech 16 mi. dia. bray N 11 W 32 l. h. dist. of  
a Do. 7 " " " S 13 E 21 " "  
58.30 Intersected Indian boundary, set post, from which

107  
T9N R10E, 2<sup>d</sup> Mer. Indiana  
ch. l. l. l.

a Maple 12 in. dia. bray N45 W 26 l. ch. dist. of  
a Beech 14 " " " N68 E 18 "

This distance land level, Oak, Beech, Hickory  
Ash, Poplar &c. December 4<sup>th</sup> 1886

John Brownson, H. S.

From the Boundary line

22.00 Set post Cor. to Sec. 25 & 36, from which  
a Beech 10 in. dia. bray N48 W 11 l. ch. dist. of  
a Do. 6 " " " N29 W 34 " "

---

North On E. boundary of Sec. 25, T9N, R9E.

40.00 Set q. Sec. post, from which  
a Beech 9 in. dia. bray N77 W 11 l. ch. dist. of  
a Do. 18 " " " N47 E 28 " "

80.00 Set post Cor. to Sec. 24 & 25, from which  
a Beech 24 in. dia. bray N15 W 11 l. ch. dist. of  
a Do. 15 " " " N7 E 19 " "  
Over level wet Beech land

---

North On E. boundary of Sec. 24, T9N, R9E.

40.00 Set q. Sec. post, from which  
a Beech 24 in. dia. bray N7 E 28 l. ch. dist. of  
a Do. 10 " " " N43 E 11 " "

53.50 a Brook 10 l. wide Comae S. W.

80.00 Set post Cor. to Sec. 13 & 24, from which  
a Beech 16 in. dia. bray N39 E 7 l. ch. dist. of  
a Do. 13 " " " N57 W 5 " "  
Over level wet land, timber Beech, Poplar &c.  
underg<sup>g</sup> Spruce

---

North On E. boundary of Sec. 13, T9N, R9E.

40.00 Set q. Sec. post from which  
an Ash 24 in. dia. bray N61 W 6 l. ch. dist. of  
a Beech 14 " " " N29 E 17 " "

80.00 Set post Cor. to Sec. 12 & 13, from which  
a Beech 18 in. dia. bray N43 E 7 l. ch. dist. of

T9 N. R10 E. 2<sup>d</sup> Mer. Indiana  
ch. 1<sup>st</sup> 1/2

a Gum 28 in. dia. bray N 5 E 17 1/2 th. dist. of  
Over level wet land timber Beech, Gum &c.

North On E. boundary of Sec. 12, T9 N. R9 E.

38.30 a Creek 20 th. wide Course S. W.

40.00 Set q. Sec. post, from which

a Beech 18 in. dia. bray N 72 E 5 th. dist. of

a do. 8 " " " S 71 W 10 "

80.00 Set post Cor. to Sec. 1 of 12, from which

a Sugar 12 in. dia. bray N 84 W 2 1/2 th. dist. of

a Beech 10 " " " S 74 E 1 1/4 "

Over rolling land, timber Sugar, Beech,  
Poplar &c. undug<sup>th</sup>. Spruce

North On E. boundary of Sec. 1, T9 N. R9 E.

26.80 a Creek 50 th. wide Course S. W.

34.80 a Brook 15 " " " S. W.

40.00 Set q. Sec. post, from which

a Beech 14 in. dia. bray S 55 E 12 th. dist. of

a do. 12 " " " N 86 E 9 "

80.00 Set post Cor. to Township 9 of 10 North, of  
Range 9 of 10 East, from which

a Beech 14 in. dia. bray N 8 W 7 th. dist. of

a Sugar 20 " " " S 27 W 4 1/2 "

Over rolling land timber Beech, Sugar &c.

Surveyed June 9<sup>th</sup> 1819 By Jas. H. McDonald,

For John M. McDonald,

Deputy Surveyor

### Subdivision.

North Between Sec. 35 & 36, T9 N. R10 E.

2.75 a Beech 28 in. dia.

40.00 Set q. Sec. post, from which

a N. Gum 40 in. dia. bray South 7 th. dist. of

a Beech 12 " " " N 2 E 2 1/2 " "

80.00 Set post Cor. to Sec. 25, 26, 35 & 36, from which



S. 9. N. 10 E. 2<sup>d</sup>. Mer. Indiana 109

Ch. 1<sup>st</sup> 1/2

a S. Gum 28 in. dia. bray South 3<sup>1</sup>/<sub>2</sub> lh. dist. of  
any Elm 9 " " " N 9 1/2 W 3 " "  
Land level, timber Beech, B & Sweet Gum &c

East On Land 8<sup>m</sup>. between Sec. 25 & 36

40.00 Set temp. gr. Sec. post

78.65 Intersected E. boundary at post

Over level Beech land

West Connected between Sec. 25 & 36

38.77 a S. Gum 30 in. dia.

39.32 1/2 Set gr. Sec. post at average dist. from which  
a Hickory 18 in. dia. bray N 10 E 6 lh. dist. of  
a W. Oak 20 " " " N 40 W 24 " "

78.65 to Sec. Corner

North 8 Between Sec. 25 & 26

8.65 a Hickory 23 in. dia.

40.00 Set gr. Sec. post, from which

a Beech 10 in. dia. bray N 38 E 11 lh. dist. of

a Do. 20 " " " N 35 W 15 " "

80.00 Set post Cor. to Sec. 23, 24, 25 & 26, from which

an Elm 30 in. dia. bray N 48 W 48 lh. dist. of

a Hickory 20 " " " N 56 E 36 " "

Over level land, Beech, Poplar, Gum, Hick. &c.

East On Land 8<sup>m</sup>. between Sec. 24 & 25

40.00 Set temp. gr. Sec. post

78.50 Intersected E. boundary 44 lh. N. of post

Land timber &c. Same as on last mile

West Connected between Sec. 24 & 25

39.25 Set gr. Sec. post, from which

a Beech 20 in. dia. bray N 47 E 29 lh. dist. of

a Do. 16 " " " N 35 W 14 " "

46.50 a Beech 25 " "

S. N. R. N. E. 2<sup>nd</sup>. Mer. Indiana  
ch. lly  
78.50 to Sec. Corner

North Between Sec. 23 & 24

0.60 a Hickory 23 mi. dist.  
40.00 Set gr. Sec. post, from which  
at Beech 10 mi. dist. by N 65° W 8 lly. dist. of  
a Do. 30 " " " South 19 " "  
80.00 Set post Cor. to Sec. 13, 14, 23 & 24, from which  
a D. Gum 30 mi. dist. by N 73° E 22 lly. dist. of  
a Beech 17 " " " N 74° W 29 " "  
Over level land timber Beech, D. Gum  
Hickory, W. Oak &c.

East On Rand. between Sec. 13 & 24

40.00 Set temp. gr. Sec. post  
78.50 Intersected E. boundary 30 lly. N. of post  
Land timber &c. same as on last mile

West Connected between Sec. 13 & 24

37.80 a W. Oak 28 mi. dist.  
39.25 Set gr. Sec. post, at average dist. from which  
at Beech 40 mi. dist. by N 12° E 22 lly. dist. of  
a Do. 18 " " " N 70° W 15 " "  
78.50 to Sec. Corner.

North Between Sec. 13 & 14

3.75 a D. Gum 27 mi. dist.  
40.00 Set gr. Sec. post, from which  
a Beech 7 mi. dist. by N 37° E 7 lly. dist. of  
a Sugar 30 " " " N 83° W 39 " "  
66.30 Intersected Indian boundary, set post, from which  
at Beech 20 mi. dist. by N 64° W 26 lly. dist. of  
a Do. 14 " " " N 60° E 15 " "  
Level 2<sup>nd</sup>. rate Beech land

West Between Sec. 12 & 13

# 111

## T 9 N R 10 E 2<sup>d</sup> Mer. Indiana

ch. 1/4

3.50 a W. Oak 30 mi. dist.

40.00 Set gr. Sec. post, from which  
a Hickory 25 mi. dist. by N 22 E 32 1/2 km. dist. of  
an Elm 27 " " " N 14 W 29 " "

57.13 Intersected Indian boundary, set post, from which  
a Beech 12 mi. dist. by N 62 1/2 E 23 1/2 km. dist. of  
a Do. 10 " " " S 52 W 29 " "  
Level poor Beech land. Jan. 27<sup>th</sup> 1807

North Between Secs. 34 & 35

2.27 a Beech 20 mi. dist.

40.00 Set gr. Sec. post, from which  
a Beech 18 mi. dist. by N 67 E 12 km. dist. of  
a Do. 20 " " " N 63 W 20 " "

80.00 Set post Cor. to Secs. 26, 27, 34 & 35, from which  
a Beech 20 mi. dist. by N 11 E 35 km. dist. of  
a Do. 30 " " " S 34 W 3 " "  
level 2<sup>d</sup> rate Beech land

East On Land 9<sup>m</sup>, between Secs. 26 & 35

40.00 Set temp. gr. Sec. post,

80.00 Intersected W & S. line, 50 km. S. of post  
Land level 2<sup>d</sup> rate, Beech, Red Gum &c.

West Connected between Secs. 26 & 35

40.00 Set gr. Sec. post at average dist. from which  
a Beech 20 mi. dist. by N 58 W 31 km. dist. of  
a Do. 25 " " " East 11 " "

42.00 a Beech 30 " "

80.00 to Sec. Corner

North Between Secs. 26 & 27

5.86 a Hickory 23 mi. dist.

40.00 Set gr. Sec. post, from which  
a Hickory 19 mi. dist. by N 67 E 20 km. dist. of  
a Beech 12 " " " S 50 W 11 " "



112

Sgt R. E. J. M. Indiana  
 ch. l. th  
 80.00 Set post Co. to Sec. 22, 23, 26 & 27, from which  
 a Beech 18 in. dia. bray N 46 E 30 th. dist. of  
 a Do. 30 " " " S 72 W 19 " "  
 Level 2<sup>nd</sup> rate land, timber Beech, Hickory  
 Poplar &c. underg<sup>th</sup> Spruce & Beech

---

East On Rand<sup>m</sup> between 23 & 26  
 40.00 Set temp. q. Sec. post  
 80.00 Intersected the N & S. line 30 th. S. of post  
 Sand timber &c. same as on last mile

---

West Corrected between Sec. 23 & 26  
 38.00 a Hickory 19 in. dia.  
 40.00 Set q. Sec. post at average dist. from which  
 a Beech 16 in. dia. bray N 69 E 15 th. dist. of  
 a Do. 20 " " " S 81 W 30 " "  
 80.00 to Sec. Corner.

---

North Between Sec. 22 & 23  
 8.40 a W. Oak 23 in. dia.  
 40.00 Set q. Sec. post, from which  
 a Beech 12 in. dia. bray N 80 E 26 th. dist. of  
 a Sugar 20 " " " S 39 W 8 " "  
 46.00 a Brook 10 th. wide Course W.  
 65.00 enter fallen timber  
 80.00 Set post Co. to Sec. 14, 15, 22 & 23, from which  
 an Elm 20 in. dia. bray S 48 W 15 th. dist. of  
 a Beech 16 " " " N 38 E 35 " "  
 Over high rich land Beech, 12 & W. Oak  
 From 65.00 to 80.00 chain fallen timber E & W.

---

East On Rand<sup>m</sup> between Sec. 14 & 23  
 40.00 Set temp. q. Sec. post  
 80.00 Intersected the N & S. line 10 th. S. of post  
 Level poor Beech land.

---

113

Sgt. R. C. E. J. Mer. Indiana

chilly

West Corrected between Sec. 14 & 23

0.85 a Beech - mi. dist.

40.00 Let q. Sec. post at average dist. from which  
a Beech 16 mi. dist. by N 10 W 19 lns. dist. of  
a Do. 18 " " " N 23 E 4 " "

80.00 to Sec. Corner

---

North Between Sec. 14 & 15

3.75 a P. Gum 27 mi. dist.

17.38 Intersected Indian boundary, let post, from which  
a Beech 20 mi. dist. by N 53 W 41 lns. dist. of  
a Do. 30 " " " N 68 E 71 " "  
Over level rich land Beech, Ash &c.

---

West Between Sec. 15 & 22

10.65 a Sugar 15 mi. dist.

28.03 Intersected Indian boundary, let post, from which  
a Beech 19 mi. dist. by N 49 W 15 lns. dist. of  
a Do. 15 " " " N 76 E 19 " "

---

North Between Sec. 33 & 34

7.25 a Beech 25 mi. dist.

40.00 Let q. Sec. post, from which  
a Beech 23 mi. dist. by N 33 W 28 lns. dist. of  
a Do. 12 " " " S 11 E 4 " "

74.00 a Brook 15 lns. wide Course W.

80.00 Let post Cor. to Sec. 27, 28, 33 & 34, from which  
a Beech 20 mi. dist. by N 30 W 14 lns. dist. of  
a Do. 19 " " " S 9 E 30 " "  
Level Beech land

---

East On Land 9<sup>m</sup>. between Sec. 27 & 34

10.00 a Brook 15 lns. wide Course S. W

40.00 Let temp. q. Sec. post

75.00 Intersected the N & S. line at the post  
Over high Beech land.

---

114 Sg. N. R. W. E. 2<sup>d</sup> Mer. Indiana

2<sup>d</sup> 1/4

West Cor. rected between Sec. 27 & 34

3.00 a Beech 18 mi. dist.

37.50 Set q<sup>r</sup>. Sec. post at average dist. from which  
a Beech 35 mi. dist. bear S 8<sup>th</sup> W 12<sup>th</sup> E 4<sup>th</sup> dist. 5  
a Do. 11 " " " N 40<sup>th</sup> W 14 " "

75.00 to Sec. Corner.

North Between Sec. 27 & 28

7.50 a Sugar 16 mi. dist.

40.00 Set q<sup>r</sup>. Sec. post, from which  
an Elm 25 mi. dist. bear N 15<sup>th</sup> E 4<sup>th</sup> E 4<sup>th</sup> dist. 4  
a Beech 12 " " " S 7<sup>th</sup> E 4 " "

79.00 a Brook 17<sup>th</sup> wide Course S. W.

80.00 Set post Cor. to Sec. 21, 22, 27 & 28, from which  
a W. Oak 17 mi. dist. bear N 16<sup>th</sup> E 38<sup>th</sup> E 38<sup>th</sup> dist. 5  
an Ash 22 " " " S 29<sup>th</sup> W 34 " "

Over high 2<sup>d</sup> rate land, Beech, Poplar, Ash &c.

East On Land 8<sup>m</sup>. between Sec. 22 & 27

1.50 a Brook 17<sup>th</sup> wide Course S. W.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

75.20 Intersected the N. & S. line 16<sup>th</sup> N. of post  
Sand timber &c. same. Jan<sup>y</sup>. 29<sup>th</sup>. 1807

West Cor. rected between Sec. 22 & 27

37.60 Set q<sup>r</sup>. Sec. post at average dist. from which  
a Sugar 8 mi. dist. bear S 8<sup>th</sup> E 13<sup>th</sup> E 13<sup>th</sup> dist. 5  
a Do. 16 " " " N 8<sup>th</sup> W 10 " "

35.04 a Beech 16 " "

75.20 to Sec. Corner.

North Between Sec. 21 & 22

13.18 a Sugar 18 mi. dist.

40.00 Set q<sup>r</sup>. Sec. post from which  
a Sugar 17 mi. dist. bear S 78<sup>th</sup> W 24<sup>th</sup> E 24<sup>th</sup> dist. 5  
a Beech 19 " " " S 89<sup>th</sup> E 30 " "



115

S 9 N N 10 E 2<sup>nd</sup> Mer. Indiana

ch. 1<sup>st</sup> 50.83 Intersected Indian Boundary let post from which  
 a Beech 25 mi. diam. bray S 56 W 10 km. dist. of  
 a Sugar 18 " " " N 60 E 47 " "  
 Over rich land, timber B & M. Oak

---

North Between Secs. 32 & 33

4.00 a Beech 36 mi. diam.

40.00 let gr. Sec. post, from which  
 a Beech 18 mi. diam. bray N 38 E 21 km. dist. of  
 a Do. 17 " " " South 21 " "  
 80.00 let post Cor. to Secs. 28, 29, 32 & 33, from which  
 a Beech 20 mi. diam. bray S 85 W 17 km. dist. of  
 a Do. 18 " " " S 79 E 10 " "  
 Level 2<sup>nd</sup> rate land Beech, B & M. Oak &c.

---

East On Rand. between Secs. 28 & 33

40.00 let temp. gr. Sec. post

50.00 a Brook 20 km. wide Course N. W.

80.00 Intersected the N & S. line at the post  
 Over high 2<sup>nd</sup> rate land, Beech, ash, B & M. Oak

---

West Connected between Secs. 28 & 33

0.71 a W. Oak 72 in diam.

40.00 let gr. Sec. post at average dist. from which  
 a Beech 12 mi. diam. bray S 67 W 24 km. dist. of  
 a Sugar 20 " " " S 74 E 19 " "  
 80.00 to Sec. Corner

---

North Between Secs. 28 & 29

2.95 a Sugar 24 in. diam.

11.50 a Brook 20 km. wide Course N. W.

40.00 let gr. Sec. post, from which  
 a Beech 11 mi. diam. bray N 25 W 11 km. dist. of  
 a Do. 14 " " " S 21 E 24 " "  
 47.50 a Creek 40 km wide Course S. W.

80.00 let post Cor. to Secs. 20, 21, 28 & 29, from which

Township 10 E. 2<sup>nd</sup> Mer. Indiana  
ch. 1/2

a Beech 16 in. dia. bray N25W39Ch. dist. of  
a do 16 " " " S2W20 " "  
Over high 2<sup>nd</sup> rate land, Beech, Poplar, Ash,  
Hickory, B. & W. Oak, etc. undug<sup>st</sup> Spruce

East On Rand<sup>m</sup> between Sect. 21 & 28

20.00 a Brook 40 Ch. wide Course S.W.

40.00 Set temp<sup>y</sup>. gr. Sec. post

80.00 Intersected the N & S line at the post  
from 20 ch. to 75 ch. up a brook 17 Ch. wide  
and cross it repeatedly. Land rich  
Beech, B. Walnut, B. & W. Oak

West Corrected between Sect. 21 & 28

3.00 a Beech 18 in. dia.

40.00 Set gr. Sec. post, from which  
an Elm 40 in. dia. bray N81E35Ch. dist. of  
a Beech 12 " " " S81W33 " "

80.00 to Sec. Corner

North Between Sect. 20 & 21

1.50 Intersected Indian boundary, Set post, from which  
a Beech 20 in. dia. bray N48E18Ch. dist. of  
a do 25 " " " S25W27 " "

West Between Sect. 20 & 29

1.71 Intersected the Indian boundary, Set post, from which  
a Beech 20 in. dia. bray N64E34Ch. dist. of  
a do. 25 " " " S30W11 " "

North Between Sect. 31 & 32

5.42 a Beech 20 in. dia.

40.00 Set gr. Sec. post, from which  
a W. Oak 20 in. dia. bray North 14 Ch. dist. of  
a do. 20 " " " South 41 " "

41.00 a Creek 50 Ch. wide Course S30W

117

S 9 N R 10 E 2<sup>nd</sup>. Mer. Indiana  
ch. 1/2  
80.00 Set post Cor. to Sec. 29, 30, 31 & 32, from which  
a Beech 20 mi. dist. by N 74 E 34 1/2 mi. dist. of  
a loc. 18 " " " 22 N 32 " "  
Hilly poor land Beech, W. Oak &c.

---

East On Range between Sec. 29 & 32  
20.00 a Creek 50 1/2 mi. wide Course S.  
40.00 Set temp. gr. Sec. post  
80.07 Intersected the N & S line at the post  
Over high 2<sup>nd</sup> rate land Beech, Poplar &c.

---

West Connected between Sec. 29 & 32  
36.80 a Sugar 21 mi. dist.  
40.00 Set gr. Sec. post, at average dist. from which  
a Sugar 25 mi. dist. by N 70 W 20 1/2 mi. dist. of  
a Beech 12 " " " S 82 E 6 " "  
80.00 to Sec. Corner

---

North Between Sec. 29 & 30  
26.18 a Beech 19 mi. dist.  
32.60 Intersected Indian boundary, set post, from which  
a Sugar 20 mi. dist. by N 20 W 42 1/2 mi. dist. of  
a Beech 10 " " " S 85 E 24 " "  
up a Brook 30 1/2 mi. wide

---

West Between Sec. 30 & 31  
4.50 a Brook 30 1/2 mi. wide Course S.  
10.00 a Sugar 20 mi. dist.  
40.00 Set gr. Sec. post, from which  
a Beech 20 mi. dist. by N 72 W 10 1/2 mi. dist. of  
a loc. 17 " " " N 64 E 32 " "  
52.42 Intersected an Indian boundary set post, from which  
a Beech 18 mi. dist. by N 73 E 26 1/2 mi. dist. of  
a loc. 15 " " " N 62 W 26 " "  
Over high rich land, timber Beech & Poplar  
Jan. 29<sup>th</sup> 1807 John Brownson, D.S.



Tg N N W E. 2<sup>nd</sup>. Mer. Indiana

ch. lky

In the New Purchase

North Between Secs. 13 & 14 var. 5.00' E  
13.70 Set post Cor. to Secs. 11, 12, 13 & 14 in thicket  
in fallen timber no bearing trees

---

East Between Secs. 12 & 13

20.97 Intersected the Old Boundary at Corner

---

North Between Secs. 11 & 12

33.50 leave fallen timber

40.00 Set gr. Sec. post, from which  
a Beech 10 mi. dist. bearing N 39° 22' E 10 mi. dist. of  
a Do. 15 " " " N 60° E 10 " "

59.80 a Hickory 12 " "

80.00 Set post Cor. to Secs. 1, 2, 11 & 12, from which  
a Beech 16 mi. dist. bearing S 82° 19' E 19 mi. dist. of  
a Do. 16 " " " S 24° E 11 " "  
Flat wet land Beech, Oak, Maple &c. and gr. Spruce.

---

East On Land<sup>m</sup> between Secs. 1 & 12

40.00 Set temp. gr. Sec. post

77.87 Intersected E boundary 50 lbs. S. of post  
Sand timber &c. same as on the East side

---

West Corrected between Secs. 1 & 12

38.93 Set gr. Sec. post at average dist. from which  
a Beech 4 mi. dist. bearing N 6° E 4 lbs. dist. of  
a Do. 18 " " " S 42° W 21 " "

77.87 to Sec. Corner.

---

North Between Secs. 1 & 2

19.20 a Maple 30 mi. dist.

40.00 Set gr. Sec. post, from which  
a Poplar 10 mi. dist. bearing S 49° 16' E 6 lbs. dist. of  
a W. Elm 20 " " " N 80° E 24 " "

63.34 a Poplar 24 " "

Sq. N. W. E. 2<sup>d</sup>. Mer. Indiana 119  
Ch. 1<sup>st</sup>

80.60 Intersected N. boundary 18.13 lks. E. of post  
Set post Cor. to Sec. 1, 14 & 2 from which  
a Beech 20 in. dia. bray N 33 W 25 lks. dist. of  
a Do. 24 " " " N 16 W 19 " "  
Flat wet 3<sup>rd</sup> rate land Beech, maple, Elm &c.  
underg<sup>th</sup>. Spruce.

---

North Between Sec. 14 & 15

22.62 Set q<sup>r</sup>. Sec. post in fallen timber  
32.00 leave fallen timber  
60.80 a Beech 12 in. diam.  
62.82 Set post Cor. to Sec. 9, 10, 15 & 14, from which  
a Sugar 20 in. dia. bray N 25 W 20 lks. dist. of  
a Beech 18 " " " S 32 E 11 " "  
Broken 3<sup>rd</sup> rate land, Beech, Hickory, Oak,  
&c. underg<sup>th</sup>. Dogwood, Pring &c

---

East On Rand<sup>m</sup>. between Sec. 11 & 14

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
57.50 enter fallen timber fallen  
79.88 Intersected tract of S. line 320 lks. S. of post.  
Flat wet land, Beech, Oak, Hickory, Maple  
underg<sup>th</sup>. Beech &c.

---

West Cor. to Sec. 11 & 14

39.94 Set q<sup>r</sup>. Sec. post at average dist. from which  
a Hickory 10 in. dia. bray N 33 W 6 lks. dist. of  
a Maple 14 " " " N 45 E 13 " "  
79.88 to Sec. Corner

---

North Between Sec. 10 & 11

25.20 a Sugar 24 in. dia.  
40.00 Set q<sup>r</sup>. Sec. post, from which  
a Poplar 30 in. dia. bray S 70 E 2 lks. dist. of  
a C. Oak 18 " " " N 70 W 3 " "  
56.35 a Beech 12 " "

120 T9 N. R20 E. 2<sup>nd</sup> Mer. Indiana

ch. P. 6<sup>th</sup>

80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which  
a Beech 10 mi. dist. by S 85 E 11<sup>th</sup> Lk. dist. of  
a Loc. 16 " " " S 82 W 15 " "  
Rolling 3<sup>rd</sup> rate land, timber Beech, underg.  
Spruce, Dogwood &c

---

East On Land<sup>gm</sup> between Sec. 2 & 11

40.00 Set temp. gr. Sec. post

79.95 Intersected the N. & S. line 32 Lk. S. of post  
Flat wet land, Beech, Hickory, Maple &c  
underg.<sup>th</sup> Beech, Spruce &c.

---

West Corrected between Sec. 2 & 11

39.97 Set gr. Sec. post at average dist. from which  
a W. Ash 12 mi. dist. by N 40 E 7 Lk. dist. of  
a Hickory 12 " " " N 60 E 24 " "

79.95 Section Corner

---

North Between Sec. 2 & 3

20.05 a Sugar 12 mi. dist.

40.00 Set gr. Sec. post, from which  
a Beech 15 mi. dist. by N 36 E 7 Lk. dist. of  
a Loc. 4 " " " S 82 W 28 " "

64.90 a Beech 24 " "

78.85 Intersected N. boundary 7.20 Lk. E. of post  
Set post Cor. to Sec. 2 & 3, from which  
a W. Oak 4 mi. dist. by N 65 E 6 Lk. dist. of  
a Hickory 3 " " " N 60 W 6 " "  
Rolling 2<sup>nd</sup> rate land, Beech, Sugar, Poplar,  
Ash &c. underg.<sup>th</sup> Spruce.

---

North Between Sec. 21 & 22

29.17 Set post Cor. to Sec. 15, 16, 21 & 22 in fallen  
timber no bearing trees  
Flat land grown over with Prairie &c

---

S. N. R. W. E. D. Mer. Indiana 121

ch. l. by  
East On Rand<sup>m</sup> between Sec. 15 & 22  
40.00 Set temp<sup>t</sup>. of Sec. post  
46.70 Intersected Old Boundary 219 l. S. of post  
Over flat land, no timber left standing

---

West Corrected between Sec. 15 & 22  
37.55 Set gr. Sec. post at average dist. from which  
there are no bearings in Fallen  
Timber  
75.10 (whole dist.) to Sec. Corner

---

North Between Sec. 15 & 16  
7.50 Crossed the Muscackituck run, S. W.  
9.00 left fallen timber  
23.72 at Beech 24 mi. dist.  
40.00 Set gr. Sec. post, from which  
a Beech 12 mi. dist. by N 6 E 7 l. dist. of  
a Sugar 16 " " " N 29 W 22 " "  
61.35 at Beech 18 " "  
80.00 Set post Cor. to Sec. 9, 10, 15 & 16, from which  
a Sugar 14 mi. dist. by S 83 E 25 l. dist. of  
a Do. 12 " " " N 60 W 13 " "  
Broken 2<sup>d</sup> rate land, Beech, Sugar, Ash &c.  
underg<sup>d</sup> Spruce &c

---

East On Rand<sup>m</sup> between Sec. 10 & 15  
40.00 Set temp<sup>t</sup>. of Sec. post  
44.30 Crossed Muscackituck 50 l. wide run S.  
75.26 Intersected the N. of S. line 238 l. S. of post  
Broken 3<sup>d</sup> rate land, Beech, Oak, Poplar &c  
underg<sup>d</sup> Spruce, Dogwood &c.

---

West Corrected between Sec. 10 & 15  
37.63 Set gr. Sec. post at average dist. from which  
a Beech 10 mi. dist. by S 72 E 8 l. dist. of  
a do. 12 " " " S 88 W 28 " "



S 9 N. R 10 E. 2<sup>d</sup>. Mer. Indiana  
 ch<sup>d</sup>. 1/4  
 75.26 to Sec. Corner

North & Between Secs. 9 & 10

- 19.10 at Beech 12 mi. dist.  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
 at Beech 18 mi. dist. by S 25 N 16 E 1/4 mi. dist. of  
 a Do. 12 " " " N 5 E 13 " "  
 63.28 at Beech 12 " "  
 80.00 Set post Cor. to Secs. 3, 4, 9 & 10, from which  
 a Beech 12 mi. dist. by N 67 W 17 E 1/4 mi. dist. of  
 a Do. 10 " " " N 74 E 8 " "  
 Hills, 3<sup>rd</sup> rate land Beech, Oak, Poplar  
 & sundry trees &c

East On Land<sup>gr</sup>. between Secs. 3 & 10

- 25.00 Crossed Muscackituck 25 E. wide Cr. & S.  
 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 75.42 Intersected the N. & S. line 227 E. S. of post  
 Land timber &c. Same as on last mile

West Corrupted between Secs. 3 & 10

- 37.71 Set q<sup>r</sup>. Sec. post at average dist. from which  
 a H. Oak 18 mi. dist. by S 59 W 5 E 1/4 mi. dist. of  
 a Beech 30 " " " N 26 E 36 " "  
 75.42 to Sec. Corner.

North & Between Secs. 3 & 4

- 24.28 at Beech 16 mi. dist.  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
 at Beech 10 mi. dist. by S 44 W 7 E 1/4 mi. dist. of  
 a Do. 18 " " " N 78 E 13 " "  
 59.00 at Maple 20 " "  
 76.05 Intersected N. boundary 12.00 E. of post  
 Set post Cor. to Secs. 3 & 4, from which  
 a Beech 12 mi. dist. by N 75 E 9 E 1/4 mi. dist. of  
 a Do. 14 " " " S 6 W 13 " "

123

Tgt RWE. 2<sup>nd</sup> Mer. Indiana  
Ch. Lk. Flat wet 3<sup>rd</sup> rate land Beech, Oak, Poplar,  
Maple, Elm &c.

---

North Between Sec. 20 & 21

25.90 a Poplar 60 mi. dist.

30.00 enter fallen timber

38.70 Set gr. Sec. post in fallen timber

No bearing trees

61.00 leave fallen timber

78.70 Set post Cor. to Sec. 16, 17, 20 & 21, from which  
at Beech 12 mi. dist. bearing N 30 E 18 1/2 mi. dist. of  
a dlo. 8 " " S 23 W 12 " "

Level 3<sup>rd</sup> rate land Beech, Oak, Poplar &c. and gr.  
Spruce, dogwood &c.

---

East On Land<sup>m</sup>. between Sec. 16 & 21

40.00 Set temp. gr. Sec. post

51.00 enter fallen timber

75.28 contacted the N & S line 16 1/2 mi. S. of post

Flat wet land, Beech, Oak, Hickory, Maple &c.

---

West Connected between Sec. 16 & 21

37.64 Set gr. Sec. post at average dist. from which  
at Maple 20 mi. dist. bearing S 73 W 28 1/2 mi. dist. of  
at Beech 12 " " " N 3 E 17 " "

75.28 to Sec. Corner.

---

North Between Sec. 16 & 17

31.00 a Beech 24 mi. dist.

40.00 Set gr. Sec. post, from which

at Beech 24 mi. dist. bearing North 28 1/2 mi. dist. of  
a dlo. 12 " " " S 55 W 16 " "

63.25 at Beech 15 " "

80.00 Set post Cor. to Sec. 8 & 9, 16 & 17, from which  
at Beech 24 mi. dist. bearing S 82 E 35 1/2 mi. dist. of  
a dlo. 20 " " " N 82 W 6 " "

124

Tpt N W E. 2<sup>nd</sup> Mer. Indiana  
 ch. 2<sup>nd</sup> Mer. Rolling 3<sup>rd</sup> rate Beech land  
 underg<sup>th</sup> Spruce &c.

East On Rand, between Sec. 9 & 16

40.00 Set of Sec. post temporarily

75.36 Intersected the N & S line 172<sup>th</sup> S. of post  
 Land timber &c. Same as on the last mile

West Corrected between Sec. 9 & 16

37.68 Set of Sec. post at average dist. from which  
 at Beech 15 in. dia. bray S 24° 17' E 17<sup>th</sup> dist. of  
 a do. 12 " " " N 30° E 38<sup>th</sup> " "

75.36 to Sec. Corner.

North Between Sec. 8 & 9

12.75 at Beech 30 in. dia.

40.00 Set of Sec. post, from which

a Beech 20 in. dia. bray S 30° 19' E 19<sup>th</sup> dist. of  
 a do. 6 " " " N 28° E 11 " "

70.00 at Beech 20 " "

80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which  
 at Beech 18 in. dia. bray N 17° E 23<sup>th</sup> dist. of  
 a do. 20 " " " S 25° 14' E 14 " "

Flat wet land, Beech, Hickory, Maple Elm  
 underg<sup>th</sup> Spruce &c.

East On Rand. between Sec. 4 & 9

40.00 Set temp. of Sec. post

75.40 Intersected the N & S line 183<sup>th</sup> S. of post  
 Land timber &c. Same as on the last mile

West Corrected between Sec. 4 & 9

37.70 Set of Sec. post at average dist. from which  
 a Hickory 24 in. dia. bray S 76° E 25<sup>th</sup> dist. of  
 a Beech 15 " " " N 76° E 25 " "

75.40 to Sec. Corner.

# 125

## Sgt. R. M. E. 2<sup>nd</sup> Mer. Indiana

ch. 1<sup>th</sup>

North Between Secs. 4 & 5

23.67 a Beech 24 mi. dist.

40.00 Set of Sec. post, from which  
a Beech 20 mi. dist. by N 75 E 30 km. dist. of  
a W. Ash 24 " " " N 55 W 23 " "

57.94 a W. Elm 30 " "

79.86 Intersected N. boundary 15.40 E. of post

Set post Cor. to Secs. 4 & 5, from which

a Beech 12 mi. dist. by West 6 km. dist. of

a Do. 6 " " " S 80 E 28 " "

Flat wet land, Beech, Oak, Hickory, Maple etc.

West Between Secs. 30 & 31, (From the boundary line)

21.38 a Beech 20 mi. dist.

34.54 Intersected W. boundary 50 km. S. of post

Set post Cor. to Secs. 30 & 31, from which

a Beech 30 mi. dist. by N 49 W 11 km. dist. of

a Do. 15 " " " S 37 E 27 " "

Shilly 3<sup>rd</sup> rate Beech land, under <sup>W.</sup> Dogwood

North Between Secs. 29 & 30, (From post in boundary)

3.40 Set of Sec. post, from which

a Beech 10 mi. dist. by N 7 E 23 km. dist. of

a Do. 14 " " " N 41 W 23 " "

28.45 a Sugar 12 " "

29.40 enter fallen timber

43.40 Set post Cor. to Secs. 19, 20, 29 & 30 in fallen  
timber, (no bearing trees very Bushy)

East On Land<sup>m</sup> between Secs. 20 & 29

40.00 Set temp. of Sec. post

78.76 Intersected the N & S line 300 km. S. of post

Broken 3<sup>rd</sup> rate land, Beech, Oak, Hickory  
etc. under <sup>W.</sup> Dogwood etc.

West Corrected between Secs. 20 & 29



126 Sg. N. N10 E. 2<sup>nd</sup> Mer. Indiana

ch. 1<sup>st</sup>

39.38 Set q<sup>r</sup>. Sec. post at average dist. from which  
a Beech 12 mi. dist. by N 48 W 16 km. dist. of  
a W. Oak 14 " " " N 68 E 18 " "  
78.76 to Sec. Corner.

---

West Between Secs. 19 & 30

31.60 a W. Oak 30 mi. dist.

40.00 Set q<sup>r</sup>. Sec. post from which  
a Beech 10 mi. dist. by N 20 W 18 km. dist. of  
a Hickory 15 " " " N 63 E 13 " "

59.37 a Beech 10 " "

87.34 Intersected N. boundary 86 km. S. of post  
Set post Cor. to Secs. 19 & 30, from which  
a Beech 10 mi. dist. by N 27 E 34 km. dist. of  
a Do. 16 " " " N 68 W 15 " "  
Hilly 3<sup>rd</sup> rate land, Beech, Oak, Hickory &c.  
underg<sup>d</sup>. Spruce, Dogwood &c

---

North Between Secs. 19 & 20

25.00 left fallen timber

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 10 mi. dist. by N 70 E 5 km. dist. of  
a W. Oak 8 " " " N 36 W 19 " "

62.05 a Beech 18 " "

80.00 Set post Cor. to Secs. 17, 18, 19 & 20, from which  
a Beech 12 mi. dist. by N 46 W 14 km. dist. of  
a Do. 18 " " " N 85 E 13 " "  
Level 3<sup>rd</sup> rate land, Beech, Hickory, Poplar &c.  
underg<sup>d</sup>. Spruce &c.

---

East On Rand. between Secs. 17 & 20

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

78.64 Intersected the N & S line 300 km. S. of post  
Flat wetland, Beech, Hickory, Gum &c. underg<sup>d</sup>. Spruce

---

West Connected between Secs. 17 & 20

127

Sgt N 10 E. 2<sup>d</sup> Mer. Indiana  
 chiller  
 39.32 Set of Sec. post, at average dist. from which  
 a Beech 20 mi. dist. by N 82 E 19 lns. dist. of  
 a do. 24 " " " N 29 W 25 " "  
 78.64 to Sec. Corner.

---

West Between Sec 17 & 18  
 27.36 a Beech 24 mi. dist.  
 40.00 Set of Sec. post, from which  
 a Beech 10 mi. dist. by N 58 E 11 lns. dist. of  
 a do. 10 " " " N 65 W 11 " "  
 67.00 a Sugar 12 " "  
 88.76 Intersected N. boundary 148 lns. S. of post  
 Set post Cor. to Sec. 18 & 19, from which  
 a Beech 8 mi. dist. by N 7 W 4 lns. dist. of  
 a do. 6 " " " S 39 E 23 " "  
 Level 3<sup>rd</sup> rate land, Beech, Oak, Hickory &c.  
 under 1<sup>st</sup> Dogwood, Spruce &c.

---

North Between Sec. 17 & 18  
 24.06 a Poplar 36 mi. dist.  
 40.00 Set of Sec. post, from which  
 a Beech 15 mi. dist. by N 20 E 10 lns. dist. of  
 a Poplar 40 " " " South 11 " "  
 61.00 a Beech 20 " "  
 80.00 Set post Cor. to Sec. 17, 18, 19, from which  
 a W. Oak 60 mi. dist. by N 85 W 25 lns. dist. of  
 a Beech 20 " " " S 13 E 26 " "  
 Rolling 3<sup>rd</sup> rate land, Beech, Oak, Hickory  
 Poplar, &c. under 1<sup>st</sup> Spruce.

---

East On Land between Sec. 8 & 17  
 40.00 Set. temp. of Sec. post  
 79.00 Intersected the N & S. line 310 lns. S. of post  
 Flat wet land, Beech, Oak, Maple &c.

---

West Connected between Sec. 8 & 17

Sgt. N.W.E. 2<sup>d</sup>. Mer. Indiana

ch. lth.

39.50 Set q. Sec. post at average dist. from which  
a Maple 30 mi. dist. by N 10 E 21 lth. dist. of  
a Poplar 12 " " " N 45 W 14 " "

79.00 to Sec. Corner

West Between Sec. 7 & 18

23.75 at Beech 18 mi. dist.

40.00 Set q. Sec. post, from which  
at Beech 24 mi. dist. by North 6 lth. dist. of  
a Gum 30 " " " East 17 " "

60.30 at Beech 18 " "

90.28 Intersected N. boundary 125 lth. S. of post  
Set post Conto Sec. 7 & 18, from which  
(Bearings Omitted)

Flat wet land Beech, Oak, Gum, Maple &c.  
winding<sup>th</sup> Spruce &c

North Between Sec. 7 & 8

18.76 at Beech 18 mi. dist.

40.00 Set q. Sec. post, from which  
at Beech 14 mi. dist. by N 43 W 21 lth. dist. of  
a Do. 6 " " " N 46 W 15 " "

57.50 at Beech 20 " "

80.00 Set post Conto Sec. 5, 6, 7 & 8, from which  
at Beech 18 mi. dist. by N 22 W 12 lth. dist. of  
a Do. 12 " " " N 41 E 15 " "  
Level 3<sup>rd</sup> rate land, Beech, Oak, Hickory &c.

East Run between Sec. 5 & 8

40.00 Set temp. q. Sec. post

79.30 Intersected the N & S. line 278 lth. S. of post  
Land timber &c. Same as on last mile

West Connected between Sec. 5 & 8

39.65 Set q. Sec. post at average dist. from which  
at Beech 20 mi. dist. by S 56 W. 7 lth. dist. of



129

Sgt NWE 2<sup>d</sup> Mer. Indiana  
ch. 1<sup>st</sup> 1/2  
a Beech 8 mi. dist. bearing N 66 E 28 ch. dist.  
79.30 to Section Corner.

---

West Between Sec. 1, 6 & 7  
17.66 a Beech 30 mi. dist.  
40.00 Set of Sec. post from which  
a Beech 10 mi. dist. bearing N 37 W 19 ch. dist. of  
a Maple 16 " " " S 49 E 12 " "  
63.94 a W. Oak 18 " "  
90.68 Intersected N. boundary 137 ch. S. of post  
Set post Cor. to Sec. 1, 6 & 7, from which  
a Beech 20 mi. dist. bearing N 30 E 8 ch. dist. of  
a Do. 9 " " " S 27 W 7 " "  
Sand flat Beech, Oak, Hickory, Maple &c.

---

North Between Sec. 5 & 6  
23.57 a Hickory 12 mi. dist.  
40.00 Set of Sec. post, from which  
a Beech 20 mi. dist. bearing S 82 E 17 ch. dist. of  
a W. Elm 12 " " " N 64 W 21 " "  
62.37 a Maple 24 " "  
80.94 Intersected N. boundary 16.76 ch. E. of post  
Set post Cor. to Sec. 5 & 6, from which  
a Beech 20 mi. dist. bearing N 43 W 3 ch. dist. of  
a Do. 8 " " " North 21 " "  
Sand, timber &c. same as on last mile  
December 3<sup>rd</sup> 1819  
Bethuel F. Morris,  
Deputy Surveyor

---

---

Comp.



I Certify that the foregoing transcript of field notes of  
 Township N<sup>o</sup>. 9 North, Range N<sup>o</sup>. 10 East T<sup>h</sup>. Mer. Indiana  
 has been compared with the original notes in this office,  
 and found to be correct.

Surveyor General's Office  
 Cincinnati, Oct. 26, 1842

William Johnston  
 Sur. Genl.